



# PERFORMANCE BULLETIN

**Engine:** Yamaha F350XCB /

F350UCB / LF350UCB /

LF350XCB


**Boat:** Regulator® 41

**Configuration:** Quad

**Test Date:** 15-Jul-2015



## PERFORMANCE DATA



### NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.



## REGULATOR® 41

Length	41' 3"
Beam	12' 6"
Dry Weight (Boat Mfr. Pub)	17,014 lbs
Maximum HP	1,400 hp
Fuel Capacity	600 gal
Weight as Tested	22,687 lbs

## F350XCB / F350UCB / LF350UCB / LF350XCB

Horsepower	350 hp
Induction	EFI
Displacement	5.3 L
Weight (Estimated)	763 - 780 - 780 - 763 lbs
Gear Ratio	1.73

## ENGINE MOUNTING HEIGHT

Mounting Hole Position	#3 - 2 - 2 - 3
Ventilation Plate Height	Outside Engines: 2 1/4" Above Boat Bottom / Center Engines: 1 1/2" Above Boat Bottom

## PROPELLER(S)

Series	Saltwater Series XL®
Diameter x Pitch	15 1/4 x 21
Yamaha Part #	6AW-45976-10-00 / 6AX-45976-10-00
Propeller Material	Polished Stainless Steel

## TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	93° F / 84° F
Elevation (in feet above sea level)	0'
Wind Velocity	10-15 MPH

## COMMENTS

Test weight includes 1/2 tank of fuel, 8 batteries, full diesel tank, full water tank, safety and test gear. Center engines modified to 35" shaft length with aftermarket kits for improved performance and efficiency.

**YPB#:** PB\_REG\_Regulator41\_quad\_F350\_2015-07-15\_OCC

### Boat Manufactured By:

Regulator  
PO Box 49 • Edenton, NC 27932  
(252) 482-3837

[www.regulatormarine.com](http://www.regulatormarine.com)

(<http://www.regulatormarine.com>)

# REGULATOR